



VOLVO  
KA 461

Fig.38

Fig. No.	Description	Part No.	Qt
<u>SHEET METAL COMPONENTS ON COACHWORK</u>			
FENDERS (MUDGUARDS)			
38- 1	Front fender, L	87503 <sup>1)</sup>	
38- 2	Front fender, R	87504 <sup>1)</sup>	
38- 3	Strip	13220	*
38- 4	Screw, ACME 5/16" - 10	106817	16
	Speed nut in front section and wheel housing plating	120402	16
	Screw, UNC 5/16" - 18	921823	8
	Nut in cowl side	951896	8
	Spring washer	906990	8
38- 5	Base washer, round	120660	16
	Base washer, square	83580	6
38- 6	<u>Stay</u>	657489	2
38- 7	Bolt	902254	2
38- 8	Nut	906575	2
38- 9	Base washer	120095	2
38-10	Spring washer	906987	2
	Screw, self-tapping	107430	2
38-11	Mud-flap	657490	2
38-12	Screw, self-tapping	107430	6
38-13	Washer	120175	6
	<u>Rear fender, L, cpl.</u>	88596	2
	Rear fender, R, cpl.	88597	2
	. Speed nut	120402	8
	Strip for fender	13228	*
	Screw for rear fender, ACME 5/16"-10	106830	8
	Speed nut, welded in fender	120402	8
	Base washer	120660	8
	Screw for rear fender, 5/16"-18 x 1	921825	4
	Screw for rear fender, 5/16" - 18 x 3/4"	921823	8
	Nut, welded in rear section	951896	12
	Base washer	120660	12
	Spring washer	906990	12
	<u>Mud flap, metal, for L rear fender</u>	87583	1
	Mud flap, metal, for R rear fender	96626	1
	Screw	190666	6
	Base washer	120175	6
	Anchorage for L rear mud flap	87826	1
	Anchorage for R rear mud flap	96627	1
	Screw	190666	2

1. When piercing holes for directional indicators and parking lamps; see Service Bulletin Group 1050-706 No. VIX.

\* State required length.

## Engine protector plates

## Front end

Fig. No.	Description	Part No.	Qty.
	<u>Mud flap, rubber, for rear fenders: see Accessories Catalogue</u>	659186	1
	Screw, 1 1/4" - 20 x 5/8"	940100	4
	Nut	151282	4
	Base washer	120175	4
	<u>Gravel deflector, rubber, for rear fender</u>	87781	1
	Gravel deflector, rubber, for rear fender	87782	1
	Spring washer	69556	6
38-14	<u>Moulding</u> for front and rear fenders	94409	4
	Anchorage (washer and screw)	654585	8
	Nut, early prod. M 5	906574	8
	Nut, late prod. UNC No. 10	951097	8
	Lock washer	951693	8
	Anchorage (wire clip)	95384	12
38-15	<u>Wheel housing plating, L, cpl.</u>	87784	1
38-16	<u>Wheel housing plating, R, cpl.</u>	87785	1
	. Speed nut	120402	8
38-17	Bolt	902251	4
	Nut	906575	4
38-18	Base washer	11961	4
38-19	Spring washer	906987	4
	Bolt, wheel housing plating - coachwork	902280	2
	Base washer	120660	2
	Spring washer	906990	2
	Screw, wheel housing plating - front fender	106817	8
	Base washer	120660	8
	Spring washer	906990	8
	<u>ENGINE PROTECTOR PLATES</u>		
38-20	Protector plate, forward	87360	1
38-21	Protector plate, L	87361	1
	Protector plate, R	87362	1
38-22	Bolt	190665	12
38-23	Base washer	120618	12
	<u>FRONT END</u>		
38-24	<u>Front end, cpl.</u>	655845	1
	. Screw, early prod., 10 x 1.5 x 35	104607	2
	. Screw, late prod., 3/8" x 16 x 1 1/4"	921843	2
	. Nut in L side	951236	1
	. Speed nut for fender screw	120402	8
38-25	Nut for screw No. 104607	906577	2
	Nut for screw No. 921843	950404	2
38-26	Base washer for screw No. 104607	11980	2
38-27	Cotter pin for screw No. 104607	907834	2

Fig. No.	Description	Part No.	Qty
38-28	Rubber spacer	87280	2
38-29	Rubber cushion	657134	2
38-30	Rubber bushing	66089	2
38-31	Frame	655768	1
38-32	Grille	655774	1
38-33	Screw, self-tapping	955137	7
38-34	Screw	190603	1
38-35	Nut, sprung	120408	1
38-36	Base washer	120095	1
38-37	Nut	151215	4
38-38	Base washer	120095	4
38-39	Lock washer	951695	4
38-40	"V" embellisher	658788	2
38-41	"O" embellisher	658786	2
38-42	"L" embellisher	658783	1
	Speed nut	82660	10
	Spacer for "L" embellisher	661980	1
38-43	HOOD (BONNET)	87494	1
38-44	Rubber button	82429	8
38-45	Hood hinge, L, cpl.	87485	1
38-46	Hood hinge, R, cpl.	87486	1
	. Nut, welded	951237	2
38-47	Screw	115655	2
38-48	Bolt	902252	4
38-49	Spacer for bolt No. 902252	18644	4
38-50	Spring washer	906987	4
38-51	Bearing bolt	87347	2
38-52	Washer	87506	4
38-53	Nut	906577	2
38-54	Spring washer	906993	2
38-55	Catch, cpl.	93914	1
38-56	Cotter pin bolt	119001	1
38-57	Cotter pin	907822	1
38-58	Rubber button	81803	1

## Hood (Bonnet)

Fig. No.	Description	Part No.	Qty.
38-59	<u>Moulding</u>	96966	1
38-60	Moulding	96967	1
	Screw	14027	6
	Base washer	18709	6
	Spring washer	906985	6
38-61	<u>Moulding</u>	655796	2
	Anchorage	95384	8
38-62	<u>Emblem</u>	96968	1
	Nut	951096	1
	Washer	88406	1
	Spring washer	906985	1
	Emblem "444"	94815 <sup>1)</sup>	2
	Speed nut	82660	4
38-63	"Swallow" emblem	94442 <sup>2)</sup>	2
	Speed nut	82660	4
38-64	Strip	13209	*
38-65	Screw	955153	14
	<u>Hood lock</u>		
38-66	<u>Lock arm, cpl.</u>	87352	1
38-67	. Spring	87328	1
38-68	. Felt seal	87871	1
	Gasket	659989	1
38-69	Bolt	902252	3
38-70	Base washer	120095	3
38-71	Lock washer	951695	3
38-72	Catch	87329	1
38-73	Bolt	902252	2
38-74	Base washer	120095	2
38-75	Spring washer	906987	2
38-76	Lifting spring	89557	1
38-77	Lifting spring	89558	1
	Screw	190665	2

1. For P 44403.

2. For P 44404-09.

\* State required length.